

# ConTEXt

Presentation Environment 21

category: ConTEXt Style File

author: Hans Hagen

date: August 7, 2001



```

1  \definepapersize
   [mine]
   [height=450pt,
    width=561.25pt]

2  \setuppapersize
   [mine][mine]

3  \setupcolors
   [state=start]

4  \setuplayout
   [backspace=15pt,
    topspace=15pt,
    margin=0pt,
    header=0pt,
    footer=0pt,
    height=420pt,
    width=295pt,
    rightedge=125pt,
    rightedgedistance=22.5pt]

5  \setupbodyfont
   [loc,ppl]

6  \setuptolerance
   [verytolerant]

7  \setupbackgrounds
   [page]
   [background={page,clear,clips}]

8  \setupbackgrounds
   [state=repeat]

9  \setupinteraction
   [state=start,
    color=PageColor,
    contrastcolor=PageColor,
    menu=on]

10 \definecolor [FrameColor] [r=.4,g=.5,b=.6]
\definecolor [FocusColor] [r=.6,g=.5,b=.4]

11 \definecolor [TextColor] [s=.85]
\definecolor [PageColor] [s=.45]
\definecolor [MenuColor] [s=.65]

12 \useJSScripts
   [fld]
   [FieldStack]

13 \startJSpreamble {MoreFields} used now

```

```

14   function Reset_All_Fields ( n )
    { Set_Field("clip:"+n) ;
      Set_Field("butt:"+n) ;
      Forget_Changes() }

15   function Set_Both_Fields ( n, m )
    { Set_Field("clip:"+n,m) ;
      Forget_Changes() }

16   function Set_This_Field ( n, m )
    { Reset_Fields("butt:"+n,m) ;
      Field_On("butt:"+n+m:"+"+m) ;
      Forget_Changes() }

17 \stopJSpreamble

18 \startuniqueMPgraphic{text}
  pickup pencircle scaled \overlaylinewidth ;
  path p ; p := unitsquare xscaled (\overlaywidth,\overlayheight) ;
  fill p withcolor \MPcolor{\overlaycolor} ;
  draw p withcolor \MPcolor{\overlaylinecolor} ;
\stopuniqueMPgraphic

19 \startreusableMPgraphic{page}
  StartPage ;
  pickup pencircle scaled 2.5pt ;
  drawfill Page withcolor \MPcolor{PageColor} ;
  fill Field[Text][Text] enlarged 7.5pt withcolor \MPcolor{TextColor} ;
  draw Field[Text][Text] enlarged 7.5pt withcolor \MPcolor{FrameColor} ;
  fill Field[Text][RightEdge] enlarged 7.5pt withcolor \MPcolor{MenuColor} ;
  draw Field[Text][RightEdge] enlarged 7.5pt withcolor \MPcolor{FrameColor} ;
  StopPage ;
\stopreusableMPgraphic

20 \defineoverlay[page] [\uniqueMPgraphic{page}]
\defineoverlay[text] [\uniqueMPgraphic{text}]
\defineoverlay[clear] [\overlaybutton{JS(Reset_All_Fields{\realfolio})}]
\defineoverlay[clips] [\ShowClips]

21 \setupfield
  [clips,butts]
  [frame=off,
  offset=overlay]

22 \setupfield
  [clips]
  [option=readonly]

23 \newbox\SampleBox
\newbox\ClipsBox

24 \definelist[Sample]

```

```

25 \def\StartSample%
  {\dosingleempty\doStartSample}

26 \def\doStartSample[#1]#2%
  {\page
   \setbox\SampleBox=\vbox to \vsizet\bgroupt
   \def\StopSample%
   {\egroup
    \setupinteractionmenu[butts][state=start]
    \SetSampleSymbols
    \SetSampleWidgets
    \PrepareClips
    \startstandardmakeup
    \pagereference[#1]\writetolist[Sample]{}{#2}\ShowSample
    \stopstandardmakeup
    \setupinteractionmenu[butts][state=stop]}}

27 \def\SetSampleSymbols%
  {\SetSampleSymbol{1}{1}{1}\SetSampleSymbol{2}{2}{1}
   \SetSampleSymbol{3}{1}{2}\SetSampleSymbol{4}{2}{2}
   \SetSampleSymbol{5}{1}{3}\SetSampleSymbol{6}{2}{3} }

28 \def\SetSampleSymbol#1#2#3%
  {\DoSetSampleSymbol{#1}{#2}{#3}{a}
   {height=417.5pt,width=441.25pt}
   {backgroundcolor=TextColor,framecolor=FocusColor,
    rulethickness=5pt,offset=5pt}%
  \DoSetSampleSymbol{#1}{#2}{#3}{b}
   {width=30pt,height=20pt}
   {backgroundcolor=FrameColor,framecolor=TextColor,
    rulethickness=2.5pt,offset=2.5pt}%
  \DoSetSampleSymbol{#1}{#2}{#3}{c}
   {width=30pt,height=20pt}
   {backgroundcolor=FocusColor,framecolor=TextColor,
    rulethickness=2.5pt,offset=2.5pt}}%

29 \def\DoSetSampleSymbol#1#2#3#4#5#6%
  {\definesymbol
   [clip:\realfolio:#1:#4]
   [{\framed
    [#6,background=text,frame=off,strut=no]
    {\scale[#5]{\clip[nx=2,ny=3,x=#2,y=#3]{\copy\SampleBox}}}}]}

30 \def\ShowSample%
  {\centerbox{\copy\SampleBox} }

31 \def\SetSampleWidgets
  {\DoSetSampleWidget{1}\DoSetSampleWidget{2}
   \DoSetSampleWidget{3}\DoSetSampleWidget{4}
   \DoSetSampleWidget{5}\DoSetSampleWidget{6} }

32 \def\DoSetSampleWidget#1%
  {\definefield
   [clip:\realfolio:#1][check][clips]
   [clip:\realfolio:#1:a,none][none] }

```

```

33 \def\ShowClips%
  {\vbox to \paperheight
   {\vss
    \hbox to \paperwidth{\hskip6.25pt\box\ClipsBox\hss}
    \vss} }

34 \def\PrepareClips%
  {\global\setbox\ClipsBox=\hbox
   {\startoverlay
    {\fitfield[clip:\realfolio:1]} {\fitfield[clip:\realfolio:2]}
    {\fitfield[clip:\realfolio:3]} {\fitfield[clip:\realfolio:4]}
    {\fitfield[clip:\realfolio:5]} {\fitfield[clip:\realfolio:6]}
   \stopoverlay} }

35 \def\DoButton#1%
  {\setupfield[butts]
   [clickin=JS(Set_Both_Fields{\realfolio,#1}),
    clickout=JS(Set_This_Field{\realfolio,#1})]%
   \definefield
   [butt:\realfolio:#1][check][butts]
   [clip:\realfolio:#1:c,clip:\realfolio:#1:b][clip:\realfolio:#1:b]%
   \fitfield[butt:\realfolio:#1]}

36 \def>ShowButtons%
  {\vbox
   {\hbox{\DoButton1\hskip5pt\DoButton2}\vskip5pt
    \hbox{\DoButton3\hskip5pt\DoButton4}\vskip5pt
    \hbox{\DoButton5\hskip5pt\DoButton6}}}

37 \defineinteractionmenu
  [butts][right]
  [state=stop,width=85pt]

38 \setupinteractionmenu
  [right]
  [distance=13.75pt]

39 \setupinteractionmenu
  [right, butts]
  [color=TextColor,
   contrastcolor=TextColor,
   frame=off,
   offset=0pt,
   style=bold,
   inbetween=\endgraf]

40 \definehead
  [Topic]
  [chapter]

41 \setuphead
  [Topic]
  [textcommand=\TopicCommand,
   number=no,
   color=PageColor,
   style=\bfc]

```

```

42 \def\TopicCommand#1{\nohyphens\veryraggedright#1}

43 \setuplist
    [Topic,Sample]
    [criterium=all,
     style=bold,
     color=TextColor,
     contrastcolor=TextColor,
     maxwidth=.9\hsize]

44 \setuplist
    [Topic]
    [alternative=right]

45 \setuplist
    [Sample]
    [alternative=butts]

46 \startinteractionmenu[butts]
    \switchtobodyfont[small]
    \placeelist[Sample]
    \vfill
    \ShowButtons
    \stopinteractionmenu

47 \startinteractionmenu[right]
    \switchtobodyfont[small]
    \placeelist[Topic]
    \vfill
    \but [previouspage]           previous page \\ 
    \but [nextpage]               next page \\ 
    \but [PreviousJump]          back in chain \\ 
    \but [JS(Forget_Changes),CloseDocument] close document \\ 
    \stopinteractionmenu

48 \setupitemize
    [1]
    [color=PageColor]

49 \setupitemize
    [2]
    [packed]
    [color=PageColor]

50 \def\TitlePage#1%
    {\startstandardmakeup
     \startcolor[PageColor]
     \setupalign[middle]
     \switchtobodyfont[24pt]
     \def\\{\vfil\bf\setupinterlinespace}
     \bfd\setupinterlinespace
     #1\vfil\vfil
     \stopcolor
     \stopstandardmakeup}

```

```
51 \endinput
52 \starttext
53 \TitlePage{How 'bout a quick tour}\Hans Hagen}
54 \Topic{Some Text}
55 \startitemize
  \item a demo
  \item and another one
  \item and one more
\stopitemize
56 \StartSample{Alpha} \input tufte \input knuth \StopSample
57 \StartSample{Beta} \input knuth \StopSample
58 \Topic{Some More Text}
59 \startitemize
  \item we keep on demoing
  \item until we're sick of it
  \item are we already in that state?
\stopitemize
60 \StartSample{Gamma} \input douglas \StopSample
61 \stoptext
```