

ConTEXt

Presentation Environment 24

category: ConTEXt Style File

author: Hans Hagen

date: August 7, 2001


```

1 \setuppapersize
  [S6] [S6]

2 \setuplayout
  [width=middle,
   height=fit,
   backspace=15pt,
   topspace=15pt,
   header=0pt,
   footer=0pt,
   bottomdistance=15pt,
   bottom=40pt]

3 \setupinteraction
  [state=start,
   menu=on]

4 \setupcolors
  [state=start]

5 \setupbackgrounds
  [page]
  [backgroundoffset=4pt]

6 \setupbackgrounds
  [page]
  [background=color,
   backgroundcolor=darkgreen]

7 \setupbackgrounds
  [text] [text]
  [background=color,
   backgroundcolor=lightgray]

8 \setupinteractionmenu
  [bottom]
  [left=,
   right=]

9 \definecolor[darkgreen][g=.6]
\definecolor[darkblue][b=.6]
\definecolor[lightgray][s=.8]
\definecolor[darkgray][s=.4]

10 \startinteractionmenu[bottom]
  \setupinteraction
    [style=,
     color=,
     contrastcolor=]%
  \setupexternalfigures
    [background=color,
     backgroundcolor=lightgray,
     backgroundoffset=4pt,
     framecolor=darkblue,
     frameoffset=2pt,

```

```

rulethickness=1pt]%
\dorecurse
{\lastpage}
\bgroup
\ifnum\recurselevel=\realpageno
\setupexternalfigures[frame=on]%
\fi
\scratchdimen=16pt
\advance\makeupwidth by - \lastpage \scratchdimen
\advance\makeupwidth by + \scratchdimen
\divide\makeupwidth by \lastpage
\setbuffer[topic-x-\number\recurselevel]
\vsizetextheight
\hsize\textwidth
\getbuffer[topic-\number\recurselevel]
\endbuffer
\gotobox
{\externalfigure
[topic-x-\recurselevel]
[type=buffer,
 width=\makeupwidth,
 height=\bottomheight]}%
[page(\recurselevel)]%
\egroup
\hss}%
\stopinteractionmenu

11 \def\StartTopic{%
{\page
\doglobal\increment\CurrentTopic
\dostartbuffer[topic-\CurrentTopic] [StartTopic] [StopTopic]}}

12 \def\StopTopic{%
{\getbuffer[topic-\CurrentTopic]}}

13 \starttext

14 \StartTopic
\input tufte
\StopTopic

15 \StartTopic
\input tufte
\StopTopic

16 \StartTopic
\input tufte
\StopTopic
\StartTopic
\input tufte
\StopTopic
\StartTopic
\input tufte
\StopTopic
\StartTopic

```


