

ConTeXt

Presentation Environment 28

category: ConTeXt Style File

author: Hans Hagen

date: August 7, 2001


```

1 links tekst, rechts stappen opbouwen, omhoog schuiven, geel,
  dus pag opsparen per idea/topic, soort opsomming

2 \setuppapersize
  [S6] [S6]

3 \definetypeface[main] [rm] [casual] [informal] [default]

4 \setupbodyfont [main,13pt]

5 \setuplayout
  [header=0pt,
  footer=0pt,
  backspace=20pt,
  topspace=20pt,
  width=middle,
  height=middle]

6 \setupinteraction
  [state=start]

7 \setupinteractionscreen
  [option=max]

8 \definecolor [one] [r=.4,g=.6,b=.8]
  \definecolor [two] [s=.6]

9 \setupcolors
  [state=start]

10 \showframe

11 \defineoverlay [page] [\reuseMPgraphic{page}]
  \defineoverlay [text] [\useMPgraphic {text}]
  \defineoverlay [step] [\useMPgraphic {step}]
  \defineoverlay [continue] [\overlaybutton {forward}]

12 \setupbackgrounds
  [page]
  [background={page,continue}]

13 \defineframedtext
  [TopicText]

14 \defineframedtext
  [TopicStep]

15 \setupframedtexts
  [TopicText,TopicStep]
  [offset=10pt,
  style=bold, % hm
  align=normal,
  frame=off,
  depthcorrection=no,
  before=,
  after=]

```

```

16 \setupframedtexts
    [TopicText]
    [background=data,
    width=\TopicWidth]

17 \setupframedtexts
    [TopicText]
    [background=text]

18 \newdimen\TopicWidth \newdimen\TopicSkip

19 \def\StartTopic
    {\startstandardmakeup[top=,bottom=]
    \getrandomdimen\TopicWidth{.5\textwidth}{.7\textwidth}
    \getrandomdimen\TopicSkip{0pt}{\textheight}
    \vskip0pt plus \TopicSkip
    \startTopicText [none]
    \setuptolerance [verytolerant,stretch]}

20 \def\StopTopic%
    {\stopTopicText
    \getrandomdimen\TopicSkip{0pt}{\textheight}
    \vskip0pt plus \TopicSkip
    \stopstandardmakeup}

21 \def\StartStep
    {\startstandardmakeup[top=,bottom=]
    \getrandomdimen\TopicSkip{0pt}{\textheight}
    \vskip0pt plus \TopicSkip
    \startTopicText [none]
    \setuptolerance [verytolerant,stretch]}

22 \def\StopStep%
    {\stopTopicText
    \getrandomdimen\TopicSkip{0pt}{\textheight}
    \vskip0pt plus \TopicSkip
    \stopstandardmakeup}

23 \startuseMPgraphic{text}
    path p ; p := unitsquare xyscaled (OverlayWidth,OverlayHeight) ;
    color c ; c := (.7+uniformdeviate.3)*\MPcolor{one} ;
    fill p withcolor c ;
    draw p withpen pencircle scaled 2.5pt withcolor .75c ;
\stopuseMPgraphic

24 \startreusableMPgraphic{page}
    path p ; p := unitsquare xyscaled (OverlayWidth,OverlayHeight) ;
    fill p withcolor \MPcolor{two} ;
\stopreusableMPgraphic

25 \def\StartNopic#1\StopNopic
    {\setupfootertexts
    [\vbox to \footerheight
    {\vfill
    \raggedleft

```

```
        \def\{\endgraf\tx\setstrut\strut}
        \setstrut\strut\ignorespaces#1\unskip\endgraf\removedepth}]
\null \page}

26 \def\TitlePage#1%
    {\StartNopic#1\StopNopic}

27 \doifnotmode{demo}{\endinput}

28 \starttext

29 \dorecurse{10}{\StartTopic \input tufte \StopTopic}

30 \stoptext
```

